

**Certikin**  
international ltd

# POOL CARE EQUIPMENT

## FEATURES

The Certikin range of specialist care and maintenance equipment for use in domestic and commercial applications:

- Liner Vac
- Flexvac
- The Fairlocks
- Pool Brush
- Leaf Net
- Leaf Rake
- Algae Brush
- Vacuum Hose
- Telescopic Poles
- Pool Test Kits
- Thermometers



*Certikin's range of top quality swimming equipment is designed for all types of swimming pools. This leaflet shows just one of the many product ranges available from your Certikin pool supplier. By using only Certikin equipment you will ensure ease of supply now and in the future.*

**C**leaning the swimming pool is a necessary but arduous task, Certikin's range of pool care equipment aims to make it as easy and pleasurable as possible. Automatic cleaners are also available, please ask for details.

**HD70L Liner Vacuum Head**

Designed specifically for use in liner pools but suitable for cleaning concrete pools. The HD70L incorporates a flow control valve, hard wearing bristles and a clear see-through body. It is supplied with an 1.5" vacuum hose nozzle. 1.25" nozzles are available upon request.

**HD70 FlexVac**

Features of the HD70 include a unique flexible body with encapsulated wheels, an extra long nozzle for 1.5" vacuum hose, vent holes and attractive design.

**FA19 The Fairlocks Vacuum**

Still reputed to be the best cleaner available, the FA19 has a 46 cm (18" head), adjustable brushes, un-matched manoeuvrability and is suitable for 1.5" and 2" vacuum hose.

**HD66 Pool Brush**

Four rows of superior nylon bristle on a tough shaped polypropylene stock give the HD66 the edge over all other brushes on the market. Guaranteed to give many years of service and not to be compared with cheaper alternatives.

**HD67 Leaf Net**

Very durable frame and integral Pine-mesh net for removing floating debris on the surface of your pool.

**HD68N Leaf Rake**

Virtually unbreakable frame with moulded-in net and scoop for cleaning the bottom of the pool.

**HD69 Algae Brush**

Specially designed swivel head for easy cleaning of walls and floors. The high quality stainless steel bristles are ideal for removing algae from pool wall surfaces.

**CX Floating Vacuum Hose**

For commercial or private pools, the CX hose is available in the following lengths of 38mm/1.5": 9 metre (CX9), 12 metre (CX12), 15 metre (CX15), 18 metre (CX18), 25metre (CX25); also available in 50mm (2") in a 20 metre length (CX20/2). It is suitable for all climates and used extensively worldwide.

**CK48, CK612 & CK816 Telescopic Handles**

The grip lock mechanism enables easy adjustment of pole length and the comfortable hand grip makes use of the Certikin poles a real pleasure. The poles are designed for use with any of the Certikin accessories as well as those manufactured by others. Available in three sizes, 4'-8' (1.22-2.44m), 6'-12' (1.83-3.66m) and 8'-16' (2.44-4.88m).

**CKC8 Commercial Handle**

Supplied in 8' (2.44m) lengths, the poles may be joined together to achieve a length of up to 24'.

**TK111 Pool Test Kits**

Simple to use test kits for checking pH and chlorine or bromine levels. (Other test kits available.)


**Thermometers**


A choice of three thermometers with a string for securing to ladder or handrail, all very easy to read in either Celsius or Fahrenheit:

**HD72 Plastic scoop thermometer**


**HD72F Plastic floating thermometer**

**CK 82 Chrome plated thermometer**







**HD69 Algae Brush**




**MI01 - 110 Midasweep**




**BE18 Bendervac**




**MI01 - 113 Midaclean**




**Fairlocks FA19**





**HD70 CK Flexivac**




**HD70 L CK Liner Vac Head**




**HD66 CK 18'' Pool Brush**




**HD67 CK Flat net**



**HD68N CK Deep net**



**CK82 Chrome-plated Thermometer**



**HD72 Scoop Thermometer**

If you should require further technical information please do not hesitate to contact us.

